

SZIGETI, Istvan, Dr.; SZINAY, Gyula, Dr.; VIRAGH, Sándor, Dr.; ERŐSBIL, János, Dr.

Data on the problems of clinical manifestations and pathology of infectious mononucleosis in connection with a case complicating lupus erythematosus. Orv. hetil. 99 no.27:933-936 6 July 58.

1. A Budapesti Orvostudományi Egyetem III. sz. Belklinika Járak (Ivanov:
prof. Gomori Pál dr. egyet. tanár. M. T. A. lev tagja) közleménye.
(INFECTIOUS MONONUCLEOSIS)

clin. manifest., hematol. & pathol. (Hun))

Viraghalmy, G.

A device for the correct measuring of luminous fix proportions in the determination of spectral remission and absorption. p.72

MERES ES AUTOMATIKA. (Merstech ikal es Automatizalasis Tudomanyos Epyesulet)
Budapest , Hungary. Vol.7, no.2/3, 1959

Monthly List of East European Accessions (EEAI) LC, Vol.8, no.11
November 1959
Uncl.

VIRAKHOVSKIY, A.S. (Leningrad)

Scientific and atheistic education of students in the course of
fundamental laws and theories of chemistry. Khim.v shkole 10 no.3:
16-27 My-Je '55. (MIRA 8:8)
(Religion and science) (Chemistry--Study and teaching)

VIRAKHOVSKIY, G.S.; SHEVLYAGIN, V.N.

Operation of chemical workshops. Koks i khim. no.9:44-47 '61.
(MIRA 15:1)

1. Magnitogorskiy metallurgicheskiy kombinat (for Virakhovskiy).
2. Magnitogorskiy gornometallurgicheskiy institut (for Shevlyagin).
(Coal industry--By-products)

VIRANEV, B., inzh.

Possibilities of increasing labor productivity in mining.
Min delo 18 no.10: 3-8 0'63.

1. "Niproruda".

VERANEV, B.

"Deepening the vertical shaft with a wedge-shaped protective platform."

p. 50 (Minno Delo, Vol. 13, no. 2, 1958, Sofia, Bulgaria)

Monthly Index of East European Accessions (EEAI) 12, Vol. 7, no. 2,
September 1958

VIRANOVSKIY, G.B.; RUDAKOV, A.S.

Centralized power supply network for electric welding systems. from.
energ. 16 no.12:9-11 D '61. (MIRA 14:12)
(Electric welding) (Electric power supply to apparatus)

VIRANT, Jernej, dipl. inz.

Realization of functions of algebra of logic taking into consideration technical and economic aspects. *Automatika* 4 no. 5/6 323-327 '63.

1. Fakulteta za elektrotehniko, Ljubljana, Teslina 30.

HOFER, H.; AYDIN, F.; MIKLAVZIC, U.; PONIZ, R.; GOGAN, P.; GRUDEN, M.; DOBNIC, J.;
VJODA, B.; ILAKAR, F.; VIRANT, J.; VDOVIC, J.; JEREN, P.; GABLANC, I.;
STARIC, P.; SKUBIC, T.; MAGAJNA, B.; KERISIC, N.; LEONARDIS, S.; PIKMAJER,
E.; CAJHEN, R.

New books and periodicals. Elektr vest 17 no.1/2:46-56 Ja-F '64.

VIRANT, Jernej, diplomirani inženir (Ljubljana)

Reflections on the realization of the functions of mathematical logic. *Automatika* 4 no.4:235-238 '63.

1. Fakulteta za elektrotehniko, Ljubljana.

VIRANT, J.

"Technique of applying electronic analog computers" by V. Borsky
and J. Matyas. Reviewed by J. Virant. Elektr vest 31 no.3/5:120
Mr-My '64.

VIRANT, Jernej, inz.

Electronic adaptation of a MAXIMA 10 kg. balance. Automatika
4 no.1:57-59 '63.

1. Elektrotehniska fakulteta, Ljubljana.

PERME, L.; CERNIGOJ, B.; DOBEIC, J.; PLESNICAR, S.; VADNAL, A.; PEHANI, B.;
SZAVITS-NOSSAN, O.; ZAJC, B.; LEONARDIS, S.; PEHANI, A.; JAGODIC, P.;
KERSIC, N.; STARIC, P.; VIRANT, J.; GOSAR, P.; AVCI, P.; MEDAM, A.;
KRALJ, A.

New books and periodicals. Elektr vest 31 no.3/5: 113-120 Mr-My
'64

SZENDEI, Adam, dr.; VIRANYI, Andras, dr.; KOMAROMY, Jozsef, dr.;
SZECSENY, Andor, dr.; BARTA, Lajos, dr.; SOOS, Imre, dr.

Experiences on the diagnosis and therapy of pheochromocytoma.
Orv. hetil. 97 no.12:316-319 18 March 56.

1. A Budapesti Orvost. Egyetem III. sz. Belk. (igaz. Gomori, Pal dr.
egyet. tanar), II. sz. Sebészeti Klin. (igaz. Rubanyi, Pal dr.
egyet. tanar), I. sz. Gyermekklin. (igaz. Gagesi-Kiss, Pal dr.
egyet. tanar), Ideg.- és Elmeklinikájának (igaz.: Nyiro, Gyula dr.
egyet. tanar) kozl.

(PARAGANGLIOMA

pheochromocytoma, diag. & ther. (Hun))

VIRANYI, Mision, HA 5 ED

National Amateur Radio Operator - start, 1964. W.14.14.14.14
no.9:321 S 1964.

VIRANYI, Miklos (HA 5 BD)

The ultrashort wave radio operators' camp is 10 years old.
Radiotechnika 14 no. 6:218 Je '64.

VIRANYI, Miklos, muszaki foelado

Some current problems relating to the contests of radio position finding. Radiotechnika 13 no.9:335-336 S '63.

1. Magyar Honvedelmi Sportszovetseg Orszagos Elnoksege Radioal-osztalya.

ARZUMANYAN, Ashot Martirosovich; VIRAPYAN, G., red.; LAZAREV, S.,
tekhn.red.

[Friendship; articles, sketches, studies, reminiscences,
letters on Armenian-Russian ties] Druzhba; stat'i, ocherki,
issledovaniia, vospominaniia, pis'ma ob armiano-russkikh
sviaziakh. Erevan, Armianskoe gos.izd-vo. Book 1. 1960.
703 p. Book 2. 1960. 592 p. (MIRA 14:4)
(Armenia--Relations (general) with Russia)

BC

A-1

Copper oxide photo-cells. G. Herras and F. Virasoro
(Anal. Ind. Invest. Chem. Ind., 1934-1935, 3-4, 27-35).—
Description of the technique for prep. of a barrier-layer
electrode by regulated oxidation of Cu at 1000° and reduced
pressure. The photo-cells so obtained have a high photo-
potential up to 400 mv. The photo-electric properties are
attributed to an adsorbed layer of gas, as in the thermal
destruction of the barrier the Cu₂O is not fundamentally
affected.
F. R. G.

ASAC SLA METALLURGICAL LITERATURE CLASSIFICATION

CA

4

Common elements

A device to obtain thin coatings of gray selenium by sublimation in vacuum. G. Bettes and R. Vignone. *América, Montevideo, Argentina* 191, 257-61 (1941). App. is described which produces adherent, homogeneous deposits of gray Se, of an av. thickness of 20 microns, on metal disks intended for semiconducting photoelectric cells. The thin Se coating is produced by sublimation of Se at about 0.001 mm. Hg pressure, condensing the vapors on the metal disk maintained at temps. such that the Se deposits as microcryst. gray Se. E. M. Swinnes.

ADD TO A METALLURGICAL LITERATURE CLASSIFICATION

1940-1941

1942-1943

1944-1945

1946-1947

1948-1949

1950-1951

1952-1953

1954-1955

1956-1957

1958-1959

1960-1961

1962-1963

1964-1965

1966-1967

1968-1969

1970-1971

1972-1973

1974-1975

1976-1977

1978-1979

1980-1981

1982-1983

1984-1985

1986-1987

1988-1989

1990-1991

1992-1993

1994-1995

1996-1997

1998-1999

2000-2001

2002-2003

2004-2005

2006-2007

2008-2009

2010-2011

2012-2013

2014-2015

2016-2017

2018-2019

2020-2021

2022-2023

2024-2025

2026-2027

2028-2029

2030-2031

2032-2033

2034-2035

2036-2037

2038-2039

2040-2041

2042-2043

2044-2045

2046-2047

2048-2049

2050-2051

2052-2053

2054-2055

2056-2057

2058-2059

2060-2061

2062-2063

2064-2065

2066-2067

2068-2069

2070-2071

2072-2073

2074-2075

2076-2077

2078-2079

2080-2081

2082-2083

2084-2085

2086-2087

2088-2089

2090-2091

2092-2093

2094-2095

2096-2097

2098-2099

2100-2101

2102-2103

2104-2105

2106-2107

2108-2109

2110-2111

2112-2113

2114-2115

2116-2117

2118-2119

2120-2121

2122-2123

2124-2125

2126-2127

2128-2129

2130-2131

2132-2133

2134-2135

2136-2137

2138-2139

2140-2141

2142-2143

2144-2145

2146-2147

2148-2149

2150-2151

2152-2153

2154-2155

2156-2157

2158-2159

2160-2161

2162-2163

2164-2165

2166-2167

2168-2169

2170-2171

2172-2173

2174-2175

2176-2177

2178-2179

2180-2181

2182-2183

2184-2185

2186-2187

2188-2189

2190-2191

2192-2193

2194-2195

2196-2197

2198-2199

2200-2201

2202-2203

2204-2205

2206-2207

2208-2209

2210-2211

2212-2213

2214-2215

2216-2217

2218-2219

2220-2221

2222-2223

2224-2225

2226-2227

2228-2229

2230-2231

2232-2233

2234-2235

2236-2237

2238-2239

2240-2241

2242-2243

2244-2245

2246-2247

2248-2249

2250-2251

2252-2253

2254-2255

2256-2257

2258-2259

2260-2261

2262-2263

2264-2265

2266-2267

2268-2269

2270-2271

2272-2273

2274-2275

2276-2277

2278-2279

2280-2281

2282-2283

2284-2285

2286-2287

2288-2289

2290-2291

2292-2293

2294-2295

2296-2297

2298-2299

2300-2301

2302-2303

2304-2305

2306-2307

2308-2309

2310-2311

2312-2313

2314-2315

2316-2317

2318-2319

2320-2321

2322-2323

2324-2325

2326-2327

2328-2329

2330-2331

2332-2333

2334-2335

2336-2337

2338-2339

2340-2341

2342-2343

2344-2345

2346-2347

2348-2349

2350-2351

2352-2353

2354-2355

2356-2357

2358-2359

2360-2361

2362-2363

2364-2365

2366-2367

2368-2369

2370-2371

2372-2373

2374-2375

2376-2377

2378-2379

2380-2381

2382-2383

2384-2385

2386-2387

2388-2389

2390-2391

2392-2393

2394-2395

2396-2397

2398-2399

2400-2401

2402-2403

2404-2405

2406-2407

2408-2409

2410-2411

2412-2413

2414-2415

2416-2417

2418-2419

2420-2421

2422-2423

2424-2425

2426-2427

2428-2429

2430-2431

2432-2433

2434-2435

2436-2437

2438-2439

2440-2441

2442-2443

2444-2445

2446-2447

2448-2449

2450-2451

2452-2453

2454-2455

2456-2457

2458-2459

2460-2461

2462-2463

2464-2465

2466-2467

2468-2469

2470-2471

2472-2473

2474-2475

2476-2477

2478-2479

2480-2481

2482-2483

2484-2485

2486-2487

2488-2489

2490-2491

2492-2493

2494-2495

2496

VIRBANOVA-ANGELOVA, A.
EXCERPTA MEDICA Sec.2 Vol.9/8 Physiology, etc. Aug56

3042. VIRBANOVA-ANGELOVA A. *Formation of an interoceptive conditioned reflex in dogs with different types of nervous system (Russian text) DOKLADY AKAD. NAUK SSSR 1955, 105/5 (1121-1124) Graphs 1 Tables 1

After establishing a pavlovian salivary-feeding conditioned reflex in 6 dogs, the type of nervous system each possessed was determined by several procedures. Then an interoceptive salivary conditioned reflex, also salivary-feeding, was developed in each dog (in 5 by rhythmically inflating small balloon placed in a Thiry Vella fistula, in 1 by a similar balloon in a Pavlov pouch). It is concluded that the speed of stabilization of an interoceptive conditioned reflex depends on the mobility of nervous processes. In dogs with unstable processes of excitation and inhibition there is an increased 'mechanoreceptivity' of the intestinal mucosa.
Kleitman - Chicago, Ill.

VIRBITSKAS, P. I. Cand Agr Sci -- (dis s) "The 'Litovskaya 3'
(Gubyay) ~~Grade~~ ^{Variety} of Winter Rye." Kaunas, 1957. 20 pp with diagrams,
23 22 cm. (Min of Agriculture USSR, Lithuanian Agricultural
Academy), 150 copies (KL, 18-57, 96)

- 37 -

VIRCHENKO, I.P., Cand Tech Sci -- (diss) "Studies of
thermodiffusion ~~chroming~~ chroming as a means of increasing the
WEAR RESISTANCE of ^{COMPONENTS} ~~detals~~ s." Mos, 1958, 220p with graphs
(Min of Agr USSR. Mos Inst of Mechanization and Electrification
of Agr) 150 copies (KL, 32-58, 108)

- 21 -

VIRCHENKO, N.A. [Virchenko, N.O.]

Integral relation in a class of x^k analytic functions. Rep.
AN UkrSSR no. 6:734-736 '64. (MIRA 17/6)

1. Kiyevskiy gosudarstvennyy universitet. Predstavleno
akademikom AN UkrSSR Yu. A. Mitropol'skim [Mytropol's'kyi, Yu.
O.].

VIRCHENKO, N.A. [Virchenko, N.O.]

Some boundary value problems for α -analytic functions. *Dokl. Ak. Nauk*
no.12:1577-1581 '63. (JRA 17:9)

1. Kiyevskiy gosudarstvennyy universitet. Predstavleno akademikom
Ak. UkrSSR Yu.A. Mitropol'skim [Mitropol's'kyi, I.U.C.].

LEKHANEVA, N.A. [Lekhaneva, N.A.]; VIKHREVO, N.A. [Vikhrevo, N.A.]

Some integral transformations in a class of k -quasilinear functions
Dop. IN URSP no. 2:998-1003 '62.

1. Sverdlovskiy gosudarstvennyy universitet.

S/0021/63/000/012/1577/1581

ACCESSION NR: AP4009734

AUTHOR: Virchenko, N. O.

TITLE: On some boundary-value problems for x-analytical functions

SOURCE: AN UkrRSR. Dopovid, no. 12, 1963, 1577-1581

TOPIC TAGS: boundary-value problem, x-analytical function, x-analytical-analytical function relation, half-strip, half-strip complex variable

ABSTRACT: The author determined the relation between x-analytical and analytical functions of a complex variable for a half strip. This makes it possible to solve in a closed form some mixed boundary value problems of the theory of potential. The relation between x-analytical and analytical functions of a complex variable was first determined by G. M. Polozhiy (Visnyk KDU, ser. astron, matem. ta mekh, 2, 19, 1959) for regions bounded by a portion of an imaginary axis L and a curve monotone at y . If function $f(z) = u(x,y) + iv(x,y)$ is analytical in a given region and $v/L = 0$, then function

$$\tilde{f}(z) = \tilde{u}(x, y) + i\tilde{v}(x, y) = \int \frac{u(\xi, y) d\xi}{\sqrt{x^2 - \xi^2}} + i \int \frac{v(\xi, y) \xi d\xi}{\sqrt{x^2 - \xi^2}} \quad (1)$$

Card 1/3

ACCESSION NR: AP4009734

will be analytical in this region and $\tilde{v}/L = 0$. In another study the author and N.O. Pakhareva (DAN UkrSSR, 998, 1962) showed that when the region being studied coincides with a quarter of the region then function

$$\tilde{f}_1(z) = \tilde{u}_1(x, y) + i\tilde{v}_1(x, y) = \int_0^{\infty} \frac{v(\xi, y) d\xi}{\sqrt{\xi^2 - x^2}} - i \int_0^{\infty} \frac{u(\xi, y) \xi d\xi}{\sqrt{\xi^2 - x^2}} \quad (2)$$

also will be an x -analytical function and $\tilde{f}(z) = \tilde{f}_1(z)$.

Formulas

$$f(z) = u(x, y) + iv(x, y) = \frac{2}{\pi} \left[\frac{d}{dx} \int_0^{\infty} \frac{\tilde{u}(\xi, y) \xi d\xi}{\sqrt{x^2 - \xi^2}} + i \int_0^{\infty} \frac{\partial \tilde{v}(\xi, y)}{\partial \xi} \frac{d\xi}{\sqrt{x^2 - \xi^2}} \right] \quad (3)$$

$$f(z) = u(x, y) + iv(x, y) = \frac{2}{\pi} \left[\int_0^{\infty} \frac{\partial \tilde{v}(\xi, y)}{\partial \xi} \frac{d\xi}{\sqrt{\xi^2 - x^2}} - i \int_0^{\infty} \frac{\partial \tilde{u}(\xi, y)}{\partial \xi} \frac{d\xi}{\sqrt{\xi^2 - x^2}} \right] \quad (4)$$

are inversions of formulas (1) and (2). These concepts were used to determine the connection between functions $f(z)$ and $f_1(z)$ for a half strip $x > 0$, $0 < y < h$ when

Card 2/3

ACCESSION NR: AP4009734

on the lower part of the boundary value $y = 0$ is given for x a an imaginary portion and for x a the real portion of the x -analytical function, and on the upper part of the boundary value $y = h$ is given the imaginary portion of this function. It is possible to generalize the results of the study for analyzing x^k -analytical functions, where k is an odd number. Orig. art. has: 12 equations.

ASSOCIATION: Ky-yivsky-y Derzhavny-y Universytet (Kiev State University)

SUBMITTED: 16Feb83

DATE ACQ: 03Feb84

ENCL: 00

SUB CODE: MM

NO REF SOV: 002

OTHER: 000

Card 3/3

VIRCHENKO, S.S. (st. Chelyabinsk, Yuzjno-Ural'skaya doroga)

~~Training of locomotive crews.~~ Elek. i tepl. tiaga 2 no.10:42-43
0 '58. (MIRA 11;11)

1. Nachal'nik tekhnicheskoy shkoly mashinistov.
(Locomotive engineers)

SOV/137-59-1-734

Translation from: Referativnyy zhurnal. Metallurgiya, 1959, Nr 1, p 99 (USSR)

AUTHORS: Lur'ye, D. A., Virchenko, V. Ya.

TITLE: Supplying the Industry With CO₂ Gas (Snabzheniye promyshlennosti uglekislym gazom)

PERIODICAL: Byul. tekhn. ekon. inform. Sov. nar. kh-va Khar'kovsk. ekon. adm. r-na, 1958, Nr 1, pp 16-20

ABSTRACT: It is pointed out that the production of CO₂ may be increased by means of creating installations for the utilization of waste gases (G) generated during fermentation processes in alcohol, beer, decomposition of fats, etc.; waste G's of certain chemical industries (fuel-G refining, NH₃ synthesis, oil refining) may also be utilized. Installations for the utilization of waste G's are planned in Lisichansk, Chirchik, Rustavi, and other cities. The cost of the CO₂ supplied by these installations will amount to 275-300 rubles per ton. Shipped-in CO₂ may be cheaper than the locally produced variety, provided the dry ice is supplied in containers. Suitable wooden containers, the losses in which constitute 2.5 - 4% per day, had been developed by the All-Union Low-temperature Institute.

Card 1/2

SOV/137-59-1-734

Supplying the Industry With CO₂ Gas

CO₂ may also be obtained from fuel G's of local industries by the absorption-desorption method. This method involves the expenditure of chemical reagents, electrical energy, water, and steam. The cost of the CO₂ thus obtained is 650-850 rubles per ton. In the case of small installations, producer (combustion of solid or gaseous fuel in a stream of O₂) and sulfuric-acid (chemical reaction of CaCO₃ with H₂SO₄) methods may be employed. The cost of CO₂ produced by these methods amounts to 935 and 750 rubles per ton, respectively.

A. M.

Card 2/2

DIACONU, C.; VIRCOL, A.; VIRCOL, L.

Some results on the repartition of the Rumanian river flow in the course of the year. Studii hidro 2:65-90 '62.

STANESCU, S.; VIRCOL, A.; BIRTU, E.; TETEL, E.; VIRCOL, L.; MARCULESCU, I.;
CUTE, E.; AVADANEI, A.; BURCIU, O.; CIOBANU, S.; ILIE, E.; MOTEA, I.

Hydrographic basin of the Mures River; a hydrologic monograph.
Studii hidrol 6:3-273 '63.

DIACONU, C.; VIRCOL, A.; VIRCOL, L.

Some results on the repartition of the Rumanian River flow in the
course of the year. Studii hidrol 2:65-90 '62.

STANESCU, S.; VIRCOL, A.; BIRTU, E.; TETEL, E.; VIRCOL, L.; MARCULESCU, I.;
CUTE, E.; AVADANEI, A.; BURCIU, O.; CIOBANU, S.; ILIE, E.; MOTEA, I.

Hydrographic basin of the Mires River; a hydrologic monograph.
Studii hidrol 6:3-23 '63.

NITULESCU, M.; MOCIORNITA, C.; DINCA, A.; VIRCOL, L.; VOICU, Gh.; MIHAILESCU, Gh.; NAE, D.; BARBAT, V.; MIHAIL, M.; MUSETESCU, P.; CORBAN, V.; MATEESCU, M.

Monograph on the hydrology of the hydrographic basins of the Iza, Viseu, Sapinta, Tur Rivers.

L 55171-65

ACCESSION NR: AP5017637

RU/00000000/0008/0355/0360

Department of technical sciences); Vacu, S.

Card

VIRIN, V.; GZHEL'SKIY, V.

"Without any unusual talent...."; a photosketch. Sov.voin-38
no.15:30-31 Ag '56. (MIRA 10:1)

(Soldiers--Recreation)

VIREN, Ye.

"On the banks of the Dnieper" by Porfirii Gavrutto. Reviewed by
M. Viren. Sov. mor. 16 no. 21:16 N '56. (MIRA 10:1)
(Gavrutto, Porfirii)

VIREZUB, A.I.; GINZBERG, M.A.; KUPINSKIY, R.V.; TVERIKIN, V.T.

Developing a method of continuous deaeration of viscose solutions.
Khim.volok. no.6:31-33 '59. (MIRA 13:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut iskusstvennogo
volokna.

(Viscose)

TIRESCH, A.I.; GINERENG, M.A.; NOVIKOV, N.A.; TVERKIN, V.I.; KUPINSKIY, R.V.;
MAROV, V.V.; NIVIN, I.I.

Performance of the unit for continuous **deaceration** of viscose. Kim.
volok. no.2380-61 1(1). (MIRA 18:2)

1. Vsesoyuznyy nau.-issledovatel'skiy institut iskusstvennogo
volokna (for Nivinsk, Ginzburg, Novikov, Tverkin). 2. Gosudarstven-
nyy institut po problemam nau. i priyat. iskusstvennogo volokna
(for Kupinskiy). 3. Kishinevskiy institut (for Marov, Nivin).

VIREZUB, A.I.; GINZBERG, M.; PAKSHVER, A.B.

Determining air content of viscose. Khim. volok. no.2:57-58 '65.
(MIHA 18:6)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut iskusstvennogo volokna (for Virezub, Ginzberg). 2. Vsesoyuznyy zaochnyy institut tekstil'noy i legkoy promyshlennosti (for Pakshver).

KHEZFITS, L.A.; VIREZUB, S.I.

Terpene phenols. Part 26: Condensation products of dihydro-cyclopentadiene with o- and p-cresols and the further transformations of condensation products. Zhur. org. khim. 1 no.8: 1384-1388 Ag '65. (MIRA 18:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut sinteticheskikh i natural'nykh dushistykh veshchestv.

KHEYFITS, L.A.; VIREZUB, S.I.

Terpene phenols. Part 17: Transformations of tricyclodecylphenols. Zhur.
ob.khim. 34 no.1:119-122 Ja '64. (MIRA 17:3)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut sinteticheskikh i
natural'nykh dushistykh veshchestv.

KHEIFITS, L. A.; VINOGRADOV, S. I.

Production of odorous substances from dicyclopentadiene.
Zhur. ob. Khim. 34 no.6:2081-2084 Je '64. (Rus) 17

1. Vsesoyuznyy nauchno-issledovatel'skiy institut sinteticheskikh
i natural'nykh dushistykh veshchestv.

GUSEVA, K.A.; RAFANOVA, R.Ya., kand.khim.nauk; BULANOVA, A.V.;
VIRNEZUB, S.I.

Isolating sclareol and obtaining products from it having the
odor of amber. Masl.-zhir.prom. 25 no.3:29-30 '59. (MIRA 12:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut sinteticheskikh
i natural'nykh dushistykh veshchestv.
(Sclareol) (Perfumes, Synthetic)

KHEYFITS, L.A.; VIREZUB, S.I.

Terpene phenols. Part 13: Condensation products of
dihydrodicyclopentadiene with phenol. Zhur. ob. khim. 33
no.8:2751-2755 Ag '63. (MIRA 16:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut sinteticheskikh
i natural'nykh dushistykh veshchestv.

BELOV, V.N.; KHEYFITS, L.A.; VIREZUB, S.I.

Oxidation of carbonyl compounds with hydrogen peroxide and
peracids (Baeyer-Villinger reaction). Reakts.org.soed. 10:7-208
'61. (MIRA 14:10)

(Carbonyl compounds) (Oxidation)

SIBIRTSEVA, V.Ye.; VIREZUB, S.I.; KUSTOVA, S.D.

Odorous substances from sclareol. Report No.1: Ambrial and
ambroxide. Trudy VNIISNDV no.5:9-14 '61. (MIRA 14:10)
(Odorous substances) (Sclareol)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860020012-1

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860020012-1"

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860020012-1

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860020012-1"

Country : Rumania E-2
 Category : Analytical Chemistry.
 Abs. Jour. : Ref. Zhur - Khim., No 7, 1959 22924
 Author : Soos, P.; Virf, L.; Blazsek, A.
 Institut. : Rumanian Academy
 Title : The Use of Sodium Sulfide in Separation of Cations.
 Orig Pub. : Studii si cercetari chim. Acad. RPR. Fil. Cluj., 1957, 8, No 3-4, 231-241

Abstract : Description of an improved method for the separation of cations by means of a solution of Na_2S in an alkaline medium saturated with CO_2 . After decomposition of the sample being analyzed, Ag^+ , Pb^{2+} , Hg_2^{2+} and Tl are removed by precipitation with a dilute solution of HCl . To the acid filtrate is added 3% solution of H_2O_2 , excess H_2O_2 is removed by boiling, the solution is neutralized (to a universal indicator) with solid Na_2CO_3 , made alkaline with a few ml of 30% solution NaOH (if NH_3 is present, it is removed by boiling), and treated with 10% solution of Na_2S until a positive reaction is obtained for S^{2-} with $\text{Pb}(\text{CH}_3\text{COO})_2$ (spot test). The precipitate, containing CuS , Bi_2S_3 ,
 Card: 1/3

Country : Rumania
Category : Analytical Chemistry.

E-2

Abs. Jour. : Ref. Zhur - Khim., No 7, 1959

22984

Author :
Institut. :
Title :

Orig Pub. :

Abstract : and Cs^+ are identified in a separate sample
after treatment (precipitation or fusion) by means of $Ba(OH)_2$.
B. Manole.

Card: 3/3

RUMANIA / Cosmochemistry. Geochemistry. Hydrochemistry. D

Abs Jour: Ref Zhur-Khimiya, No 4, 1959, 11436.

Author : Soos, P., Virf, L., Blazsek, A., Selenye, Zs.,
Szabo, A., ~~SOO~~, A.

Inst : Rev. Med. (RPR).

Title : A Chemical and Radiological Analysis of the Med-
icinal Salt Waters of Singeorgiul de Muresh and
Orga and of the Mud of Singeorgiul de Muresh.

Orig Pub: Rev. med. (RPR), 1957, 3, No 4, 85-91.

Abstract: A chemical analysis was performed to test the
spring waters of Singeorgiul de Muresh (in g/l):
Li / 0.035, Na / 48.853, K / 0.238, NH_4 / 0.203,
Ca / 4.258, Mg / 1.997, Fe^{2+} / 0.019, Mn^{2+} / 0.001,
 Al^{3+} / 0.004, F^- 0.0098, Cl^- 84.201, Br 0.090,
I 0.006, ~~HCO₃~~ - 0.089, SO_4^{-2} 0.009, HBO_2 0.019,
 H_2SiO_3 0.011; the dry residue is 139, 335; pH, 6.8:

Card 1/2

Virf, L.

ROMANIA / Chemical Technology, Chemical Products and Their
Application. Pharmaceuticals. Vitamins. Antibiotics.

H-17

Abs Jour : Ref Zhur - Khimiya, No 5, 1959, No. 16493

Author : Soos, P.; Virf, L.; Blazsok, A.

Inst : Not given

Title : Determination of Glucosides in Digitalis Employing the
"Xanthidrol" Method

Orig Pub : Rev. mod. (R.P.R.), 1956, 2, No 3, 68-73

Abstract : The "xanthidroo" method determines quantitatively the
digitoxino content in digitalis and in preparations
derived from it in the three following ways: colori-
metrically, photocolormetrically, and by the standard
series. The obtained results are comparable. It was
demonstrated for the first time that quantities of alcohol
and xanthidrol (dibenzo- γ -pyranolo) greatly affect the
intensity of color of the product when subjected to the

Card 1/2

VIRF, Liviu; MAKAI, Vasile

Identification and quantitative determination of the micro-elements (copper, zinc, cobalt) in certain mineral waters by the polarographic method. Studia Univ B-B S Chem 8 no.1: 221-224 '63

Paper chromatographic separation of ions from nickel, cobalt, copper, cadmium, and zinc and their quantitative determination by the polarographic method. Ibid.:225-230

1. Pedagogic Institute, Tirgu Mures.

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860020012-1

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860020012-1"

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860020012-1

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860020012-1"

DEMANT, F.; BUCOVA, E.; VIRGALA, J.

Less frequent complications of Salmonella infections with special reference to their course in childhood. Cesk.pediat. 14 no.12:1070-1074 D '59.

1. Detska klinika LFUK v Kosiciach, prednosta doc. MUDr. F. Demant.
(SALMONELLA INFECTIONS in inf.& child.)

PAVKOVCEKOVA, O.; VIRGALA, J.

Bonnevie-Ullrich syndrome. Cesk. pediat. 17 no.12:1100-1103 D '62.

1. Detska klinika Lekarskej fakulty Univerzity P.J. Safarika v
Kosiciach, prednosta prof. dr. E. Demant.
(BONNEVIE-ULLRICH SYNDROME)

BARDOSOVA, G.; DEMANT, F.; GASPAROVA, K.; VIRGALA, J.

Neurological complications of morbilli. Cesk.pediat. 15 no.9:
812-817 S '60.

1. Katedra starostlivosti o dieta LFUK v Kosiciach, veduci prof.
MUDr. F.Demant
(MEASLES compl.)
(NEUROLOGIC MANIFESTATIONS in infancy & childhood)

DEMANT, F.; VIRGAIA, J. BUCOVA. E.; TARABCIK, M.

Role of Salmonella infections in diarrhea in infants. Cesk. pediat.
14 no.7:607-611 July 59

1. Z Detskej kliniky LFUK v Kosiciach, prednosta doc. MUDr. F. Demant
a z KHS-u v Kosiciach, riaditel I. Kratochvil.
(SALMONELLA INFECTIONS, in infancy & Childhood)
(DIARRHEA, in infancy & childhood)

VIRGANSKAYA, N., inzh.-ekonomist

Reserves for improving the effectiveness of large-panel
apartment-house construction. Zhil. stroi. no.2:9-10 '64.
(MIRA 18:11)

L Nitrogen metabolism under different conditions of work
and temperature. J. E. Fox and L. A. Maudslayi, with laboratory
animals. *Bull. Minn. Agric. Expt. Sta.*, 1906, vol. 18, no. 1, p. 1.
M₆ M₇ M₈ Virgil, and John Radin. *Ibid.*, 1906, vol. 18, no. 1, p. 1.
Chaff, R. Maudslayi. *Ibid.*, 1906, vol. 18, no. 1, p. 1.
Cannett's Sheep, 8, 1906, vol. 18, no. 1, p. 1.
equal caloric intake at winter and summer temperatures. It
erected less N but also more heat, indicating less efficient
mice kept at room temp. In a second series it was found
the test mice gained more wt. than the control, indicating
that the stored N was eventually spent. II. The nitrogen
metabolism in people working under condition of elevated
temperatures. The effect of a daily brake. *Bull. Minn. Agric. Expt. Sta.*
Sabina Trager, Eva Buhlman, and John Radin. *Ibid.*,
401-11.—Workers exposed to higher than normal temper-
(furnace operators, etc.) were fed a supplemented calorie
diet for 1 week and their metabolism during that time was
compared with a 1-week period without added caloric in-
take. With addnl. food (250 g. meat, 60 g. butter, 2 boiled
eggs, and 300 g. bread/day) the urine increased in vol.
(9.7%), residue (18%). N (24%), creatinine (37%), and
urea (42%). The d. of the urine did not change. Fecal wt.
increased by 10%, its dried residue by 24%, and its N con-
tent by 35%.
Cary Goodland

Gay Award

(7)

VIRGINSKIY, V.S.

Mining and metallurgy in France during the second half of
the 18th century. Trudy Inst. 1st. est. 1 tekhn. 20:153-383
'59. (MIRA 12:12)

(France--Mining engineering)
(France--Metallurgy)

Virgel', V. E.
USSR/General Problems - Method and Technique of Investigation

A-4

Abst Journal : Referat Zhur - Fizika, No 12, 1956, 33688

Author : Virgel', V. E.

Institution : None

Title : Setup for Experimental Investigation of Precision Balance

Original
Periodical : Izmerit. Tekhnika, 1956, 1, 43-46

Abstract : The setup described insures the possibility of carrying out oscillographic recording of many processes: the oscillations of the beam, oscillations of the trays in different directions, and the changes in the transient electric resistances between the steel knife edges and the pads. The transducers employed are photocells, which operate either directly on a bifilar oscillograph POB-12 or are connected in a bridge circuit which in turn

Card 1/2

A-4

USSR/General Problems - Method and Technique of Investigation

Abst Journal : Referat Zhur - Fizika, No 12, 1956, 33688

is connected to the oscillograph. The setup makes it possible to work in rooms having low artificial illumination. The diagram of the setup, an overall photograph, and a specimen of the recording are given.

Card 2/2

VIRGIL, GALEA

RUMANIA/Safety Engineering - Sanitary Engineering. Sanitation. L.

Abs Jour : Ref Zhur - Khimiya, No 2, 1957, 7009

Author : Galea Virgil, Ghelberg Naum

Inst :

Title : Use of the Method of N.G. Polezhayev in Investigations of
the Technological Process at Mercury Processing
Establishments

Orig Pub : Studii si cercetari stiint., 1954, Acad. R.P.R. Fil Cluj,
5, No 1-2, 388-394

Abstract : Description of the results of quantitative determinations
of Hg, by the method of Polezhayev, in various substances,
during investigation of a plant where Hg is produced from
raw materials, and also of other chemical establishments
which utilize Hg in technological processes. The content
of Hg in the air, building materials and biological media,
is reported.

Card 1/1

~~VIRGIL, K.~~

"The liquor industry of Rumania."

p. 16 (Teknika) Vol. 4, no. 6, Nov./Dec. 1957
Tirane, Albania

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,
April 1958

VIRGIL, R.

Superficiality and bureaucratic style have nothing to do with trade-union activities.

P. 4 (Constructorul. Vol. 9, no. 394, Aug. 1957, Pucuresti, Rumania)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 2,
February 1958

VIRGIL, R.

Waiting for acceptance. Constr Buc no.756:3 4 July '64.

VIRGIL, R.

Virgil, R. - From the beginning on the useful path. p.2

SO: Monthly List of East European Accessions List (EEAL)LC, Vol 4, No. 11
November 1955, Uncl.

16

CA

Mannitol and milk fermentation of sugar. B. VIRGILIA. *Ind. saccharifera* vol. 22. 427(1929); *Listy Cubrovar, Raschley* 48, 6. — In fermenting sugar, the yield of mannitol is greater when air cannot enter the fermenting liquid (anaerobic fermentation). In using a diffusion liquor with a polarization of 8.5-9.5 the yields were: lactic acid 4.58%, AcOH 1.2-1.6% and mannitol 2.5-4.1%. From polarimetric detns. it is concluded that fructose ferments more rapidly than glucose. FRANK MARKEN

AS-51.4 METALLURGICAL LITERATURE CLASSIFICATION

VIRGILIU, F.

Certain less known characteristics of the Land-Mohr inertia circle. p. 591

INDUSTRIA CONSTRUCTILOR SI A MATERIALELOR DE CONSTRUCTIL, Bucuresti, Vol 6, No. 11,
Nov., 1955

SO: East European Accessions List (EEAL) Library of Congress, Vol 5, No. 7, July, 1956

VIRGILIU, Florian

Contributions to the calculus for horizontal forces of
diaphragm organized structures. Studii cerc mec apl 17
no. 6:1533-1605 '64.

1. Petroleum, Gas, and Geology Institute, Bucharest. Submitted
August 4, 1964.

VIRGILIU, Florian

Resistance of bore bits with blades. Studii cerc meo apl 12 no.6:
1305-1320 '61.

1. Institutul de petrol, gaze si geologie, Bucuresti

VIRGIL'YEV, Yu. S.

1. Virgil'yev, Yu. S., and L. A. Rubtsova. The Uranium-Chromium System.
2. Virgil'yev, Yu. S., L. A. Rubtsova, and O. S. Ivanov. The Structure of Uranium-Rich Alloys of the Uranium-Titanium System at 1000°, 850°, and 600°C.
3. Virgil'yev, Yu. S., and R. A. Petrova. Polytthermal Section of the Uranium-Niobium-Molybdenum Ternary Phase Diagram at 1000 (at%) and at 80 (at%) Uranium.
4. Virgil'yev, Yu. S., and O. S. Ivanov. Decomposition of the Solid Solution in Uranium-Niobium and Uranium-Zirconium Alloys.
5. Virgil'yev, Yu. S. Change of γ -Phase Region in the Phase Diagram of the Uranium-Zirconium-Niobium-Molybdenum System at Temperatures Below 800°C.

S/755/61/000/003/023/027

AUTHORS: Virgil'yev, Yu. A. ^{S.} Gruzin, P. L., Popov, I. V.

TITLE: Investigation of the behavior of small additions of calcium in the smelting of nickel-chrome alloys by the radioactive-isotope method.

SOURCE: Moscow. Inzhenerno-fizicheskiy institut. Metallurgiya i metalloye-deniy chistykh metallov. no.3. 1961, 216-224.

TEXT: The paper describes the experimental use of the radioactive isotope Ca^{45} for the lab investigation of the behavior of small additions of Ca in the smelting of alloys of the type XH80T (KhN80T). Such additions are employed frequently as deoxidizing agents, and it is desirable to obtain data on the amount of Ca within the alloy, its distribution in an ingot between the various phases of the alloy, the rate of transition of the Ca from the metal to the slag, and the Ca distribution between metal and slag in various deoxidizing procedures. The Ca^{45} tracer employed is β -active, with an energy of 0.26 Mev and a half-life of 152 days. The Ca was introduced into the alloy in the form of a silicocalcium (SC) similar to that utilized in the industry (27% Ca). The first two melts were employed to establish the distribution of the Ca within the ingot and the coefficient of assimilation of the SC upon (1) placement of the radioactive SC on the bottom of a mold, and (2) introduction of

Card 1/3

Investigation of the behavior of small additions ...

S/755/61/000/003/023/027

the radioactive SC underneath a fully developed slag layer formed of a prepared mixture comprising 65% CaO, 15% CaF₂, and 20% MgO. The ingots were cut longitudinally (along the axis), and the longitudinal and transverse Ca distributions were investigated by 550-hr radioautography of pulverized samples obtained from various points. The assimilation coefficient (ratio of total activity of ingot to total activity of SC introduced) was found to be 78% in ingot (1) and 21% in ingot (2); in the latter ingot the distribution coefficient (ratio of total activity of slag to total activity of metal) was 3.4. In ingot (1) the SC migrates upward along the periphery of the ingot, where it remains 2-3 times as elevated as along the ingot axis. In ingot (2) the SC concentration on the ingot axis is 25% higher than at the periphery. Centers of blackening on the radioautographic film indicate the accumulation of the Ca in nonmetallic inclusions, which are larger in ingot (1) than in ingot (2), where apparently, most of the large inclusions have succeeded in passing into the slag phase. A third melt, in which specimens were withdrawn from the melt and from the slag to determine the time-wise changes, indicated a rapid decrease in Ca content in the melt during the first 3-4 min, after which the decrease proceeded more slowly. After about 8 min the specific activity of the metal samples approached the background value asymptotically. Thus, it may be stated that 1.5-kg charge in an induction furnace at 1,500°C loses practically all of its Ca within 10 min from the introduction of the SC into the bath. The determination of the Ca

Card 2/3

Investigation of the behavior of small additions ...

S/755/61/000/003/023/027

concentration in the nonmetallic inclusions formed by Ca oxidation in the liquid metal, which was performed by Dr. Yu. A. Klyachko's electrolytic-dissolution method, is briefly summarized (full-page table). Initially, along with an insignificant formation of nonmetallic inclusions, most of the Ca is found to be dissolved in the metal. With the successive oxidation of the Ca, the CaO, together with the larger nonmetallic inclusions, passes into the slag, so that the Ca decreases rapidly with time of holding of the melt in the liquid condition. There are 2 figures and 4 tables; no references.

ASSOCIATION: MIFI (Moscow Engineering Physics Institute).

Card 3/3

Virgil'yev, Yu. O.

Doctor of Chemical Sciences, ed.

... svoysvoystva splavov urana, toriya i tsirkoniya ...
 Structure and Properties of Uranium, Thorium, and Zirconium
 (Collection of Articles) Moscow, Gosatomizdat, 1963.
 1000 copies printed.

3

PART I. URANIUM-BASE ALLOYS

1. D. K., Yu. O. Virgil'yev, and S. S. Ivanov. Solu-
 of Aluminum, Silicon, Iron, and Nickel in γ -, β -, and α -
 tions of Uranium 5
2. Svistunova, Z. V., and O. S. Ivanov. Uranium Corner of the
 Phase Diagram of the Uranium-Aluminum-Silicon System 9
3. Khakimova, D. K., O. S. Ivanov, and Yu. S. Virgil'yev. Ura-
 nium Corner of the Phase Diagram of the Uranium-Aluminum-
 Iron System 16
4. Semenchikov, A. T., and O. S. Ivanov. Effect of Alloying
 on Preservation of β -Phase Uranium by Quenching 22

Card 2/10

LENEDEV, V.I.; VIRGILIYEV, Ya.S.; SUBBOTIN, O.A.; ANTONOV, Ya.S.

Changes in the submicroporosity of a thermosetting base
material depending on the temperature of heat treatment.
Konsr. aplegraf. mat. no.1:237-242 '64.

(MIRA 17:11)

CIRCULAR, No. 1, 1955.

Possibility of determining direction in which the
motion, however, neglected, not, in fact, a
"direction" of the motion.

VIRGIL'YEV, Yu. S.

SOV/6384

Structure and Properties (Cont.)

10. Badayeva, T. A., and P. I. Kuznetsova. Phase Diagram of the Uranium-Chromium System 87
11. Gomofov, L. I., L. A. Rubtsova, and O. S. Ivanov. The Structure of Uranium-Rich Alloys of the Uranium-Titanium-Niobium System at 1000°, 650°, and 600°C 92
12. Terekhov, G. I., and R. Kh. Tagirova. Polythermal Sections of the Uranium-Niobium-Molybdenum Ternary Phase Diagram at Nb/Mo = 1/7 (at%) and at 80 (at%) Uranium 106
13. Virgil'yev, Yu. S., and O. S. Ivanov. Decomposition of γ -Solid Solution in Uranium-Niobium and Uranium-Zirconium-Niobium Alloys 109
14. Virgil'yev, Yu. S. Change in γ -Phase Region in the Phase Diagram of the Uranium-Zirconium-Niobium-Molybdenum System at Temperatures Below 800°C 116

Card 4/10 IVANOV, O. S. Doctor of Chemical Sciences, ed. Stroyeniye i svoystva splayov urana, toriya i tsirkoniya; sbornik statey (Structure and Properties of Uranium, Thorium, and Zirconium Alloys; Collection Articles) Moscow, Gosatomizdat, 1963 378 P.

... of General ... , ed.

... svoystva splyavov urana, toriya i tsarkoniya; sbornik.
 Structure and Properties of ... Thorium, and Zirconium
 Collection of Articles. Moscow, Gosatomizdat, 1966.
 2000 copies printed.

PART I. URANIUM-BASE ALLOYS

..., D. K., Yu. O. Virgil'ev, and S. S. Ivanov. Structure
 of Aluminum, Silicon, Iron, and Nickel ... and
 Alloys of Uranium

1. ... Z. V., and O. S. Ivanov. Uranium Corner of the
 Phase Diagram of the Uranium-Aluminum-Silicon System

2. Khakimova, D. K., O. S. Ivanov, and Yu. S. Virgil'ev. Uran-
 ium Corner of the Phase Diagram of the Uranium-Aluminum-
 Iron System

3. Semanchenkov, A. T., and O. S. Ivanov. Effect of Alloying
 on Preservation of β -Phase Uranium by Quenching

22

Card 2/10

AUTHORS: Virgil'yev, Yu.S., Gruzin, P.L.

TITLE: Determination of the diffusion coefficients of calcium into a nickel-chrome alloy and into technical iron by the radioactive-isotope method.

SOURCE: Moscow. Inzhenerno-fizicheskiy institut. Metallurgiya i metallove-deniye chistyykh metallov. no.3. 1961, 210-215.

TEXT: The paper describes the experimental application of the radioactive-tracer method to determine the diffusion coefficients (DC) of Ca in a Cr-Ni alloy of the XH80T (KhN80T) type and in technical Fe. Radioactive Ca^{45} with a β -energy of 0.26 Mev and a half-life of 152 days was employed. The analytical relationships whereby the DC can be found from a measurement of the integral activity at various depths in the specimen are set forth. The radioactive isotope CaO was applied to a face of the previously ground specimens by rubbing pulverized CaO onto it and then tying pairs of specimens together with their radioactive faces in contact, whereupon they were diffusion-annealed in vacuum at 950°C . Upon completion of the anneal the quartz ampoules containing the specimens were shattered and the specimens quenched. A 1-mm surface layer was machined off to eliminate any possible surface diffusion. The DC was determined by measuring

Card 1/2

Determination of the diffusion coefficients of ...

S/755/61/000/003/022/027

the activity of successively removed layers of metal of specified thickness. The variation of the activity with depth and, hence, the DC for a given temperature is determined and tabulated. The straight-line variation of $\log D$ with $1/T^{\circ}K$ is graphed for both KhN80T steel and the technical Fe. The slope of that line yields the activation energy Q (91,000 cal/mol for KhN80T and 66,000 cal/mol for Fe) and the pre-exponential factor D_0 (460 and 0.8 cm²/sec, respectively). The relative error in the DC thus determined is estimated to be less than 12%. Thus it is found that the diffusion of Ca from CaO into KhN80T steel and technical Fe exists, but proceeds at an extremely slow rate. Thus, the diffusion rate of Ca throughout the entire T range of KhN80T (up to 1,300°C) is several times smaller than that of Cr in the same alloy (for Cr: $Q = 70,000$ cal/mol and $D_0 = 115.0$ cm²/sec). The elevated activation energy of the diffusion of Ca is attributed to its diffusion from the oxide. There are 2 figures and 2 tables; no references.

ASSOCIATION: MIFI (Moscow Engineering Physics Institute).

VIRGIL'YEV, Yu.S.; GRUZIN, P.L.; POPOV, I.V.

Studying the behavior of small additions of calcium in the manufacture of nickel-chromium alloys by the method of radioactive isotopes. Met. i metalloved. chist. met. no.3:216-223 '61.

(MIRA 15:6)

(Nickel-chromium alloys--Metallurgy)
(Radioisotopes--Industrial applications)

VIRGIL'YEV, Yu.S.; GRUZIN, P.L.

Determining calcium diffusion ore coefficients in nickel-chromium alloys and in commercial iron by means of artificial radioactive isotopes. Met. i metalloved. chist. met. no.3:210-215 '61.

(MIRA 15:6)

(Nickel-chromium alloys--Metallurgy) (Iron--Testing)
(Radioisotopes--Industrial applications)

33882

S/640/61/000/000/003/035
D258/D302

212100

AUTHORS: Ivanov, O. S. and Virgil'yev, Yu. S.

TITLE: Decomposition of the niobium-uranium γ -solid solution

SOURCE: Akademiya nauk SSSR. Institut metallurgii. Stroyeniye splavov nekotorykh sistem s uranom i toriyem. Moscow, 1961, 35-47

TEXT: This paper describes the investigation of the decomposition process of a γ -solid solution, whose existence has been shown by the author and G. J. Terekhov (Ref. 1: This publication, p. 20) within the composition range of 20 - 70 at.-% of Nb. Specifically, alloys containing 20, 30, 40, 50, 60 and 70 at.-% of Nb were quenched (from 1000°C) and then held, for periods of 50 hrs each, at a series of successive increasing temperatures. At the end of each heating period, the sample was subjected to hardness tests and x-ray analyses. The results are as follows (samples are referred to by numbers 1 to 5 in the order of their increasing Nb contents): The hardness (in kg/mm²) of sample 1 increases greatly, from 180

Card 1/4

33882

S/640/61/000/000/003/035

D/258/D302

Decomposition of the ...

at 0°C to a maximum of 55 at 450°C and decreases sharply, to 400 (at 600°C); Sample 2 exhibits similar characteristics and a maximum (at 460°C), with the upward slope beginning only at 210°C; the slope of sample 3 is still less pronounced and its maximum lies at 520°C; sample 4 exhibits a slight rise, from 350 kg/mm² to about 400 (at 550°C), without any maximum; and the last two samples do not change their hardness at all. X-ray analysis of sample 2 shows that its parameter a_{γ} remains constant up to 280°C and slopes then

in a straight line downwards, attaining 3.351 kX at 590°C (near to 3.34 kX, for a_{γ}); a_{γ} for samples 3 and 4 remains unchanged, at a_{γ} Nb

3.41 kX and 3.38 kX, respectively. The a_{γ} lines of sample 3 disappear at 500°C and are replaced by lines, characteristic of a body-centered cubic lattice, a_{γ_1} , at some 0.035 kX below a_{γ} . Finally, a

third series of lines, also of a body-centered cubic lattice and termed a_{γ_2} , appears at 3.350 kX after heating at 550°C. Sample 4

Card 2/4

33882

S/640/61/000/000/003/035
D258/D302

Decomposition of the ...

has unchanged parameters throughout. The significant temperature ranges of samples 2, 3 and 4 were reexamined by submitting these samples to isothermal heating for different periods and testing the products for hardness and by x-ray analyses. Thus, sample 2 was heated to 285°C for up to 760 hrs, and to 500°C for 50 hrs; sample 3 - to 480°C for 50 hrs and also to 550°C; and samples 4 and 5 to 550°C. The following conclusions were reached: Decomposition of the γ -solid solution is primarily a function of the Nb contents; it proceeds homogeneously at below 30 at.% of Nb and heterogeneously at 30 at.% and above. At the limit of 30 at.%, the decomposition mechanism depends on the temperature of isothermal tempering: It is homogeneous up to 450°C and heterogeneous above 450°C. The heterogeneous decomposition of samples containing 40 at.% proceeds in two stages: (1) The separation of α -U in the first stages gives rise to the formation of the metastable δ_1 -phase; (2) δ_1 is transformed into δ_2 , the latter being probably supersaturated with U and in equilibrium with γ_{Nb} (containing 72 at.% of Nb). The effect of age-

Card 3/4

33882

S/640/61/000/000/003/03,
D258/D302

Decomposition of the ...

ing (rise of hardness with heating time) is a function of the quantity of separated-out uranium and, therefore, decreases as more Nb enters the alloy. The temperature, at which the decomposition begins to proceed at an appreciable rate, rises along with the rise in Nb content of the alloy and so does the temperature corresponding to a hardness maximum. Finally, the parameters of both metastable phases decrease as the Nb content increases. There are 10 figures and 1 Soviet-bloc reference. ✓

Card 4/4

33896
S/640/61/000/000/017/035
D205/D302

21.2100
AUTHORS: Ivanov, O. S. and Virgil'yev, Yu. S.
TITLE: Structure of quadruple alloys of the system uranium-zirconium-niobium-molybdenum at 1000 and 800°C
SOURCE: Akademiya nauk SSSR. Institut metallurgii. Stroyeniye splavov nekotorykh sistem s uranom i toriyem. Moscow, Gosatomizdat, 1961, 265-295

TEXT: Of the high-melting elements suitable for alloying uranium to make it serviceable in reactors, the best with respect to low neutron capture ability are Zr, Nb and Mo. Ti and V are well soluble in γ -U, but have a high neutron capture ability, while Fe and Cr behave in an opposite manner. Other elements of low neutron capture ability are only very sparingly soluble in γ -U and can only serve as minor additives. Therefore, the region close to the U-corner of the above quadruple system is of great interest. 226 alloys lying on the planar sections of the concentration tetrahedron having constant U contents of 80, 70, 60 and 50 at.-% were investi-

Card (1/3)

33896

S/640/61/000/000/017/035
D205/D302

Structure of quadruple ...

gated. The alloys were smelted in an arc furnace in pure argon. The phase states at 1000°C and 800°C were fixed by quenching in water. The alloys were investigated metallographically, by X-rays and by hardness measurements. The data were plotted as property versus composition. Every section is represented by a family of curves, each curve corresponding to a fixed amount of one of the 3 alloying elements. From discontinuities of the curves, the microstructure and X-ray data the phase limits were estimated. All data were finally generalized into perspective representations of isothermic tetrahedrons of the quadruple system. The triangular, planar sections at constant U content, are given a very detailed consideration. The isothermal tetrahedrons contain 5 phase volumes. In both the 1000° and 800°C tetrahedrons the monophase γ -volume adjoins the U-Zr-Nb system, passing by its narrowing part along the Nb-Mo edge. It was established that the monophase state of the γ -solid solutions occurs at a higher alloying than in the limiting triple systems U-Zr-Mo and U-Nb-Mo. In the sections of 80, 70 and 60 at.-% U the regions of the martensitic transformation $\gamma \rightarrow \alpha$ adjoining the

Card 2/3

33896

S/640/61/000/000/017/035
D205/D302

Structure of quadruple ...

binary U-Zr system are limited. The stronger influence of Mo, as compared with Nb on the depression of this transformation is observed in the section with 80% U only; in the other sections the influence of Mo and Nb is equal. There are 33 figures and 11 references: 6 Soviet-bloc and 5 non-Soviet-bloc. The 4 most recent references to the English-language publications read as follows:

B. A. Rogers and D. Atkins, J. Metals, 7, 9, 1034 (1955); D. Summers - Smith, J. Inst. Metals, 83, 277-282 (Feb. 1955); R. F. Domogala, D. J. McPherson and M. Hansen, J. Metals, 5, 1, 73-79 (1953); P.C.Z. Pfeil, J. Inst. Metals, 77, 553-570 (1950).

✓

Card 3/3

33897
S/640/61/000/000/018/035
D205/D302

21.2100

AUTHORS: Ivanov, O. S. and Virgil'yev, Yu. S.

TITLE: Investigating the stability of γ -solid solutions fixed by quenching in alloys of U-Zr-Nb-Mo after prolonged annealing in the 430-550°C range

SOURCE: Akademiya nauk SSSR. Institut metallurgii. Stroyeniye splavov nekotorykh sistem s uranom i toriyem. Moscow, Gosatomizdat, 1961, 296-306

TEXT: The aim of this investigation was to reveal alloys which retain stable γ -solid solutions and are also creep-resisting or, alternatively, alloys which produce hard decomposition products of the γ -solid solutions. The investigated specimens were quenched from the γ -solid solution region at 1000°C and their hardness in the cold state was examined after prolonged annealing (1000 - 2000 hours) in the 430 - 550°C temperature range. The total amount of alloying elements was 20, 30, 40 and 50 at.-%. Curves of equal hardness are shown on the triangular, planar sections of the con-

Card 1/2

33897
S/640/61/000/000/012/035
D205/D302

Investigating the stability ...

centration tetrahedron. In the alloys of the sections with 80 and 70 at.-% of U the solid solution decomposes entirely during the first 100 hours of annealing at 500°C. Further annealing leads to coagulation of the decomposition structures. In the sections of 60 and 50% U, regions are found in which the decomposition of the solid solution is hampered to such a degree that it remains stable after 1000 hours of annealing. In the more alloyed section of 50% U this stable region persists after annealing at temperatures up to 550°C. With the increase of the sum total of the alloying elements the influence of the decomposition on hardness decreases which is caused by a decrease in the amount of the α -U decomposition product. There are 12 figures and 1 Soviet-bloc reference. X

Card 2/2

33898

S/640/61/000/000/019/035
D205/D302

212100

AUTHOR: Virgil'yev, Yu. S.

TITLE: Non-metallic inclusions in the alloys of uranium with zirconium, niobium and molybdenum

SOURCE: Akademiya nauk SSSR. Institut metallurgii. Stroyeniye splavov nekotorykh sistem s uranom i toriyem. Moscow, Gosatomizdat, 1961, 307-311

TEXT: The data on non-metallic inclusions encountered in the alloys of U with Zr, Nb and Mo, smelted in an arc furnace using a non-consumable electrode are considered. The U employed was 99.78% pure and contained 0.12 - 0.02% w/w of carbon and iodide Zr, Nb and Mo prepared by a metallo-ceramic method were used. Western metallographic data on the identification of carbide, hydride, nitride, fluoride and oxide inclusions in uranium were employed. It was found that in the binary U-Mo alloys a non-stoichiometric carbide of uranium is the main type of non-metallic inclusion. In the ternary U-Nb-Mo alloys the monocarbide NbC is more stable. In alloys

Card 1/2